

4401-TRM, 4401TRMTC Shower Trim Specification Submittal

Feature Highlights

- Carrington Shower Trim
- Requires Temptrol[®] Pressure Balancing Shower Valve
- Metal lever handle
- 3 mode showerhead
- 2.5 gpm (9.5 L/min) flow restrictor
- Tub spout not included
- Components shall be metal and nonmetallic construction, plated in standard Polished Chrome finish
- Available with TA-10 flow control spindle and T-12A cap assembly for Temptrol valve bodies installed with Test Cap (order p/n 4401TRMTC)

Model Numbers

□ 4401-TRM

Shower Trim, Temptrol Pressure Balancing Shower Valve ordered separately

4401TRMTC
Shower Trim with TA-10 flow control spindle and
T-12A cap assembly, must order Temptrol valve with Test Cap

Compliance

• ASME A112.18.1/CSA B125.1



Warranty

Limited Lifetime - to the original end purchaser in consumer/residential installations.

5 Years - for industrial/commercial installations.


Refer to www.symmons.com/warranty for complete warranty information. Go to www.symmons.com/register to register your Symmons product.

Options/Modifications

	-	
-1.5	CG	1.5 gpm (5.7 L/min) flow restrictor
-2.0		2.0 gpm (7.6 L/min) flow restrictor
-L1		Less showerhead
-LAM	Å	Metal finish insert handle
-LP	e	Loop handle
-REB		Rebuild trim kit, includes TA-10 and TA-4
-VP		Vandal resistant escutcheon screws in place of standard screws
-STN		Satin Nickel finish

Note: Append appropriate -suffix to model number.

Dimensions



Measurements				
Α	Ø 2 5/8", 67 mm			
В	1/2", 13 mm			
С	9 1/4", 235 mm			
D	Male 1/2" I.P.S. thread must pro- trude 1/2" from			
	finished wall			
E	Ø 7 1/2", 191 mm			
F	77", 1956 mm			
G	3 1/8", 79 mm			
Н	42", 1067 mm			
Ι	3 1/8", 79 mm			
J	2 5/8", 67 mm			
к	(Rough in) 2" ± 1/2", 51 mm ± 13 mm			

Notes:

- 1) Valve body and piping not included and shown as reference only.
- 2) Plaster shield (p/n T-176) for dry wall, plaster or other type walls 1/2" or greater.
- 3) All dimensions measured from nominal rough-in (see K as reference).
- 4) Dimensions subject to change without notice.