T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

B-7245-04

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



Drawn: **JRM** Checked: KJG Approved: JHB Date: 07/30/19 Scale: 1:10 Sheet: 1 of 2

Trigger Water Gun & Double Arm Support



T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

B-7245-04

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

ITEM NO.	SALES NO.	DESCRIPTION
1	MV-2516-44	Rear Trigger Gun, 9/16" Orifice
2	006112-25	Adapter, 3/4" NPT Female x 1/2" NPT Male
3	004980-40	50' of 3/4" Creamery Hose
4	015713-45	Swivel Connector, 3/4" NPT Female x 3/4" NPT Female
5	014930-45	Hose Stop Repair Kit
6	014923-45	Bearing Repair Kit
7	014926-45	Ratchet Spring Repair Kit
8	014925-45	Roller Guide Kit
9	014928-45	Swivel Repair Kit
10	014929-45	O-Ring Repair Kit
11	014924-45	Spring Repair Kit



Product Specifications:

Epoxy Coated Open Hose Reel w/ 3/4" x 50' Creamery Hose, 9/16" Rear Trigger Water Gun & Double Arm Support

Product Compliance:

NSF 61 Exempt (Non-Potable) 2019 DOE PRSV Non-Compliant

Drawn: JRM Checked: KJG Approved: JHB Date: 07/30/19 Scale: NTS Sheet: 2 of 2



Epoxy Coated Retractable Hose Reels B-7245-04


_ ^ ^	
$T \wedge C$	
IAIT	
TAG:	


Heavy Duty Hose Reel

Architect/Engineering Specifications:

Open epoxy coated heavy duty hose reel, rear trigger water gun, 3/4" x 50' industrial grade white hose, ratcheting system, adjustable hose bumper and 3/4" NPT female inlet.

Job Name				
Model Specified	Quantity			
Variations Specified				
Date				





Features & Benefits:

- Open epoxy coated heavy duty hose reel
- Stainless steel rear trigger water gun with rubber cover and 9/16" orifice
- 3/4" x 50' industrial grade white hose rated to 300 PSI
- Ratcheting system holds the length of hose until a slight tug to retract automatically
- 3/4" NPT female inlet
- Adjustable hose bumper
- Material: Epoxy coated steel open reel & wall bracket and stainless steel water gun

Product Compliance:

- NSF 61 Exempt (Non-Potable)
- 2019 DOE PRSV Non-Compliant

Warranty: One Year (Limited)

Performance Data:

Pressure: 20 - 125 psi Temperature: 40 °F - 200 °F

Optional Hose Reel Spray Valves

□ B-0107 Spray Valve

Ergonomic Medium Flow Spray Valve □ B-0108 □ B-0108-H

□ EB-0107 □ EB-2322

Ergonomic Medium Flow Spray Valve
Ergonomic High Flow Spray Valve
High Flow Spray Valve
Extended Spray Wand
Stainless Steel Rear Trigger Water Gun
Stainless Steel Rear Trigger Water Gun □ MV-2516-24 □ MV-2522-24

□ MV-3516-24 Aluminum Rear Trigger Water Gun

T&S BRASS AND BRONZE WORKS, INC.







